




1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x -	- - 200 - -
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250~500 ±0.55			



CAUTION:  
Device must be restricted to occupational use to satisfy FCC RF exposure. See instruction manual for specific operating requirements.

18560

2:1

NOTES:

COLORS SHALL BE AS FOLLOWS:  
LETTERS:FROSTED SILVER,BACKGROUND:BLACK.

KETS

-	-	-	AI EVAPORATION PLATE t0.05 FROSTED SILVER	SEAL PRINTING LAMINATE (FROSTING) SUPER STRONG TACKIFIER	Y54-3230-12	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	-
UNIT	: mm				CAUTION LABEL	-
	DATE	2004-11-30			DRAWING NUMBER	-
JIS Z8310-84	KENWOOD	Kenwood Corporation			PART NO.	-
					SHEET NO.	-
					REL.	-
					B41-1856-04	1/1 00
						S

DRWN. DATE 2004-12-24

#

TK-981-1  
FCC ID: ALH245700  
IC: 282D-245700

